

Talk to your
doctor today.



Which physicians treat
this disease?

- Interventional Radiologists
- Vascular Surgeons
- Interventional Cardiologists



9 Parker, Suite 100
Irvine, CA 92618

(877) 923-4747

InariMedical.com

Indications: The ClotTrierer® Thrombectomy System is indicated for (1) the non-surgical removal of thrombi and emboli from blood vessels, and (2) Injection, infusion and/or aspiration of contrast media and other fluids into or from a blood vessel. The ClotTrierer® Thrombectomy System is intended for use in the peripheral vasculature including deep vein thrombosis (DVT).

Caution: Federal (USA) law restricts this device to sale by or on the order of a physician.
See Instructions for Use for complete Indications for Use, contraindications, warnings, and precautions.

MM-0074_A; DCO-1800

What you should know about
DEEP VEIN THROMBOSIS (DVT)



Deep Vein Thrombosis (DVT)

What is the mechanism of DVT?

Deep vein thrombosis (DVT) occurs when a blood clot (thrombus) forms in one or more of the deep veins in your body, usually in your legs.

What are the risk factors?

Blood clots can be caused by anything that prevents your blood from circulating or clotting normally, such as injury to a vein, surgery, certain medications, and limited movement.

Risk of Pulmonary Embolism (PE):


DVTs may dislodge and travel through the venous system and heart to become lodged in the pulmonary arteries, posing risk of life-threatening complications.

What are the symptoms of DVT?

- Leg pain, cramps, or swelling
- Skin discoloration
- A feeling of warmth in the affected leg

What are the long-term implications?

If clot is left unresolved, patients can develop post thrombotic syndrome (PTS): a chronic, lifestyle limiting disease characterized by swelling, pressure, pain, and venous ulcers due to valve and vessel damage.







What are treatment options?

- Anticoagulation (blood thinners):** Prevents new clot formation but does not actively break down existing clot.
- Thrombolytic drugs:** Dissolve acute clot but become ineffective as clot ages. Requires ICU monitoring. Are associated with higher risk of major and fatal bleeding.
- Mechanical Thrombectomy (ClotTriever®):** A catheter-based procedure for removing large volumes of clot from the deep veins. Rapidly restores blood flow without the use of thrombolytics.

What is the ClotTriever®?

The ClotTriever® system is an FDA cleared mechanical thrombectomy device, designed specifically for removing large clots from large vessels to treat deep vein thrombosis (DVT) in a single session without the need for thrombolytics or ICU stay.

Highlights

-  Immediate symptom relief
-  Treats in a single session
-  Eliminates the need for thrombolytics
-  Eliminates the need for ICU stay

