




What you should  
know about

# Deep Vein Thrombosis (DVT)

# Deep Vein Thrombosis (DVT)

## What is a DVT?

Deep Vein Thrombosis (DVT) occurs when a blood clot (thrombus) forms in one or more of the deep veins in your body, usually in your legs.



## What are the causes of DVT?

- Extended Immobility
- Surgery
- Cancer
- Obesity
- Pregnancy or Recent Childbirth
- Trauma
- Contraceptive Medication

## What are the symptoms of DVT?

- Leg Pain, Cramps, or Swelling
- Skin Discoloration
- A feeling of warmth in the affected leg

**#1 cause of PE<sup>1</sup>**

---

**Affects over 600,000 Americans  
each year<sup>2</sup>**

---

**Up to 50% of patients suffer  
long-term complications<sup>2</sup>**

## **Risk of Pulmonary Embolism (PE)**

DVTs may dislodge and travel through the venous system and heart to become lodged in the pulmonary arteries causing a PE. A PE can be a life-threatening condition.

## **Post-Thrombotic Syndrome (PTS)**

PTS, the most common complication of DVT, occurs in 20% to 50% of patients with DVT. Patients with PTS incur higher medical costs, chronic symptoms and decreased quality of life.<sup>2</sup>

1. Goldhaber SZ, Bounameaux H. Pulmonary embolism and deep vein thrombosis. Lancet. 2012 May 12;379(9828):1835-46

2. Kahn SR, The postthrombotic syndrome: evidence-based prevention, diagnosis, and treatment strategies: a scientific statement from the American Heart Association. Circulation. 2014 Oct 28;130(18):1636-61

3. Dexter DJ. Interim outcomes of mechanical thrombectomy for deep vein thrombosis from the All-Comer CLOUT Registry. J Vasc Surg Venous Lymphat Disord. 2022 Jul;10(4):832-840




# What is the **ClotTriever**<sup>®</sup> System?

The **ClotTriever**<sup>®</sup> system is a medical device FDA cleared for the treatment of deep vein thrombosis. **ClotTriever** catheter captures and removes blood clots in a non-surgical procedure to improve DVT symptoms.

## Benefits of ClotTriever<sup>3</sup>

- ▶ Immediate symptom relief
- ▶ Single-session treatment
- ▶ Lytic-free procedure
- ▶ No consequent ICU stay\*

\*Lytic-free procedure does not require ICU stay



# What are DVT treatment options?

## **A. Anticoagulation (blood thinners):**

While effective at preventing new clots from forming, blood thinners may not resolve aged clots.


## **B. Thrombolytic Drugs**

Often referred to as “clot-busting” drugs, thrombolytics dissolve blood clots and are administered in a hospital. This treatment is linked to higher risk of bleeding and require a stay in the intensive care unit (ICU).

## **C. Mechanical Thrombectomy (ClotTrieve® System):**

A minimally invasive, single-session procedure to remove blood clots and improve DVT symptoms without the need for thrombolytic therapy.<sup>3</sup>

## **Inari Patient Testimonials**



Scan QR code to read about patients treated with technology from Inari Medical

**Indications for use:**

The ClotTrieve Thrombectomy System is indicated for (1) the non-surgical removal of thrombi and emboli from blood vessels (2) injection, infusion, and/or aspiration of contrast media and other fluids into or from a blood vessel. The ClotTrieve Thrombectomy System is intended for use in the peripheral vasculature including deep vein thrombosis (DVT).

**Caution:**

Federal (USA) law restricts this device to sale by or on the order of a physician.

See Instructions for Use for complete Indications for Use, contraindications, warnings, and precautions.

All trademarks are property of their respective owners.

MM-01242\_Rev.A\_EN\_2022-09-28